

2009 Hybrid Corn Test Results: East Central Region (34,000 ppa)

Company	Name	IST ¹ GT ² HT ³	Relative Maturity	Yield bu/a	Regional Results			Dwight			Goodfield			Urbana		2-yr		
					Rank	Moisture %	% Erect Plants	Yield bu/a	Rank	Moisture %	Yield bu/a	Rank	Moisture %	Yield bu/a	Rank	Moisture %	Avg. bu/a	Rank
					STONE	8T468VT3	PL YL RR	113	241	1	28.2	96	228	10	28.3	245	2	31.1
LEWIS	914VT3	PL YL RR	114	238	2	28.9	98	234	6	29.7	242	4	30.5	239	14	26.5	245	4
LEWIS	813VT3	PL YL RR	113	237	3	25.1	99	224	24	27.0	239	12	26.2	249	4	22.2	245	3
DEKALB	DKC63-42 (VT3)	PL YL RR	113	236	4	27.9	99	225	18	28.9	236	24	31.1	248	5	23.6	247	1
TRISLER	T-6N52VT3	PL YL RR	110	236	5	26.7	100	218	46	27.8	239	11	29.7	251	3	22.4		
DEKALB	DKC61-69 (VT3)	PL YL RR	111	236	6	25.6	99	235	4	26.8	236	25	28.6	237	19	21.4	246	2
DEKALB	DKC62-54 (VT3)	PL YL RR	112	235	7	27.2	100	223	26	28.9	240	10	28.4	244	10	24.5		
CHANNEL	213-32VT3	PL YL RR	113	235	8	28.5	99	223	27	29.9	233	37	31.5	251	2	24.1		
HUBNER	H5655VT3	PL YL RR	113	235	9	29.4	99	237	1	29.4	238	14	31.7	230	38	27.1		
STONE	8T212VT3	PL YL RR	114	235	10	28.7	99	226	12	30.0	241	8	31.5	238	17	24.7		
KRUGER	K-6213VT3	CL YL RR	113	235	11	28.3	100	225	17	29.6	234	28	29.9	244	8	25.3	241	5
HUBNER	H5555VT3	PL YL RR	111	234	12	28.3	99	228	9	30.2	239	13	29.8	234	24	24.9		
HOBLIT	5566GT3	PL AG GT	111	233	13	27.2	90	226	16	28.4	234	32	29.4	238	16	23.7		
KRUGER	K-6116VT3	CL YL RR	116	232	14	29.1	97	211	75	29.9	238	16	31.7	247	7	25.7		
DEKALB	DKC61-19 (VT3)	PL YL RR	111	232	15	25.2	100	213	67	28.1	247	1	26.1	236	20	21.3	238	7
KRUGER	K-6010VT3	CL YL RR	110	232	16	26.8	100	214	65	28.8	238	17	28.9	243	11	22.8		
KRUGER	K-6413VT3	CL YL RR	113	231	17	26.9	99	225	21	27.5	225	75	28.9	242	12	24.3	240	6
KRUGER	K-6410VT3	CL YL RR	110	230	18	25.6	99	222	33	27.2	237	20	26.7	231	32	23.0		
DEKALB	DKC63-84 (VT3)	PL YL RR	113	230	19	27.7	98	210	82	28.8	232	38	29.9	248	6	24.4		
LEWIS	910VT3	PL YL RR	110	230	20	26.1	98	233	8	27.0	243	3	28.0	214	82	23.3		
MUNSON	7129VT3	PL YL RR	111	230	21	28.8	100	218	49	29.6	238	15	30.7	234	28	26.1		
HORIZON	72PV76R	PL YL RR	112	230	22	28.1	100	221	37	30.1	242	5	30.1	227	49	24.0		
DEKALB	DKC60-51 (VT3)	PL YL RR	110	229	23	25.9	100	223	28	26.4	228	54	29.3	237	18	22.1		
KRUGER	K-6208VT3	CL YL RR	108	229	24	25.7	100	220	38	26.9	236	21	26.9	231	36	23.2	235	15
CHANNEL	210-57VT3	PL YL RR	110	229	25	27.3	99	213	69	29.3	234	33	29.8	241	13	22.7		
HUBNER	H5462VT3	PL YL RR	110	229	26	27.2	100	222	32	28.7	230	45	29.1	234	23	23.8		
DYNA-GRO	V5383VT3	PL YL RR	113	229	27	27.9	95	228	11	29.5	228	55	29.3	231	37	25.0	233	16
NUTECH	3T-013 VT3	PL YL RR	113	229	28	27.9	99	220	40	29.7	233	35	30.3	234	27	23.6		
KRUGER	K-6411VT3	CL YL RR	111	229	29	24.8	98	226	14	26.8	228	58	26.1	232	30	21.6	237	8
iCORN.com	109.5VT3	PL YL RR	109	228	30	25.1	97	226	15	25.5	236	22	26.5	223	62	23.3	236	9
TRISLER	T-5A08VT3	PL YL RR	107	228	31	23.2	95	215	58	24.0	240	9	23.8	228	47	21.6		
SELECT	6947	PL YL RR	107	227	32	22.1	100	236	3	23.0	234	29	24.1	210	99	19.4		
BECK	5716A3	PM AG GT	111	227	33	27.6	97	225	19	28.4	230	46	30.0	225	53	24.4		
KRUGER	K-6412VT3	CL YL RR	112	227	34	27.6	99	218	48	29.5	233	34	30.0	229	42	23.2	231	18
BECK / XL	6733HXR™	PM HE RL	113	227	35	29.3	99	208	92	31.0	241	7	31.7	231	33	25.3		
CHANNEL	209-19VT3	CL YL RR	109	227	36	25.0	99	233	7	25.6	235	26	27.9	210	101	21.5		
WHISNAND	311	PL YL RR	113	226	37	26.5	94	223	30	28.0	223	85	29.7	234	26	21.7		
DEKALB	DKC65-63 (VT3)	PL YL RR	115	226	38	29.6	98	209	90	30.2	227	64	31.4	244	9	27.2		
KRUGER	K-6408VT3	CL YL RR	108	226	39	24.5	99	235	5	26.8	234	30	25.9	210	106	20.8		
DEKALB	DKC63-14 (VT3)	PL YL RR	113	226	40	26.3	99	226	13	28.3	228	56	28.3	223	58	22.4		
KRUGER	K-6015VT3	CL YL RR	115	226	41	28.0	98	221	35	28.7	223	89	30.5	233	29	24.8	230	19
POWER PLUS	7D51	PM HE LL	115	225	42	29.6	94	205	107	30.6	241	6	31.5	229	43	26.6		
MUNSON	27905VT3	PL YL RR	113	225	43	26.1	89	225	22	26.4	226	68	29.2	224	54	22.7		
LEWIS	1009VT3	PL YL RR	109	224	44	26.3	100	210	84	27.7	224	81	27.4	239	15	23.8		
DEKALB	DKC61-33 (VT3)	PL YL RR	111	224	45	27.5	100	225	20	28.2	226	66	30.1	221	66	24.1		
SELECT	5177AQ	PL AG	113	224	46	27.8	100	219	42	28.9	221	104	29.5	232	31	25.1		
HORIZON	72A06Q	PL AG GL	112	224	47	28.0	97	211	77	29.1	232	39	30.1	228	46	24.9	235	12
MUNSON	7298 3000GT	PL AG GT	112	224	48	28.7	94	215	60	29.4	229	49	30.6	226	50	26.1		
POWER PLUS	3C98	CL RR	107	223	49	24.0	100	209	88	25.2	237	18	25.3	224	56	21.4		
G2	1X-911 HXT/LL	CL HE LL	111	223	50	26.8	95	211	79	28.9	233	36	28.2	226	51	23.4	232	17
NUTECH	5N-809 GT/CB/LL/RW	PL AG GL	109	223	51	26.4	88	223	29	28.1	223	90	27.8	224	55	23.5		
TRISLER	T-6A08VT3	PL YL RR	109	223	52	26.3	100	219	44	28.6	225	77	28.2	226	52	22.0		
STONE	7T728VT3	PL YL RR	109	223	53	26.6	99	207	97	28.1	228	59	29.1	234	25	22.7		
iCORN.com	110.2VT3	PL YL RR	110	223	54	26.4	99	209	87	28.7	230	44	28.0	230	41	22.6		
TRISLER	T-7A01VT3	PL YL RR	111	223	55	28.3	100	212	71	30.1	226	67	30.2	230	40	24.6		
HUBNER	H5582VT3	PL YL RR	112	223	56	25.9	99	212	72	26.7	220	112	27.8	235	22	23.3	236	10
TRISLER	T-7N51VT3	PL YL RR	112	222	57	26.3	97	204	110	28.4	231	40	27.7	231	35	22.6	235	14
TRISLER	T-6A02VT3	PL YL RR	109	222	58	25.1	98	216	56	26.7	229	48	27.3	221	70	21.3	235	13

2009 Hybrid Corn Test Results: East Central Region (34,000 ppa)

Company	Name	IST ¹ GT ² HT ³	Relative Maturity	Yield bu/a	Regional Results			Dwight			Goodfield			Urbana		2-yr		
					Rank	Moisture %	% Erect Plants	Yield bu/a	Rank	Moisture %	Yield bu/a	Rank	Moisture %	Yield bu/a	Rank	Moisture %	Avg. bu/a	Rank
NUTECH	5N-213+ GT/CB/LL/RW	PL AG GL	113	221	59	28.1	96	213	70	28.7	223	86	29.7	228	45	25.8		
MUNSON	26125VT3	PL YL RR	112	221	60	27.6	97	236	2	27.8	212	132	30.5	214	86	24.5	235	11
HORIZON	71PV08R	PL YL RR	111	220	61	26.7	99	216	55	28.9	222	94	28.4	223	59	22.7		
KRUGER	K-6214VT3	CL YL RR	114	220	62	27.5	100	202	119	30.1	223	92	30.6	236	21	21.9		
HORIZON	69PV31R	PL YL RR	109	220	63	25.4	100	201	121	28.3	236	23	26.3	223	60	21.8		
HORIZON	68PV44R	PL YL RR	108	220	64	22.8	100	220	39	24.3	227	61	24.4	213	89	19.6		
iCORN.com	109.9VT3	PL YL RR	109	220	65	26.4	97	207	98	28.3	231	43	27.6	222	65	23.3		
G2	1X-309 HXT/LL	CL HE LL	109	219	66	28.9	99	213	66	28.9	224	82	31.3	220	74	26.7		
BURRUS	477T	PL YL RR	109	219	67	27.6	99	197	130	29.3	237	19	29.3	223	61	24.1	229	25
FS SEED	FS 62JV3	PL YL RR	112	219	68	27.7	98	208	94	28.1	228	52	29.7	221	68	25.3	228	29
G2	5X-909B RR/HXT	CL HE RL	109	219	69	25.4	100	201	124	26.9	235	27	26.5	221	69	22.7		
WYCKOFF	2623 3000GT	PL AG GT	111	219	70	28.2	99	207	101	29.4	221	110	30.6	229	44	24.4		
FS SEED	FS 60S44	PL AG RL	110	219	71	26.8	90	220	41	27.9	215	122	28.5	221	67	24.0		
MUNSON	7081RR	PL RR	110	218	72	25.7	94	210	81	26.0	215	124	28.1	230	39	23.0		
WHISNAND	310	PL YL RR	113	218	73	26.9	95	213	68	27.9	222	101	29.5	220	72	23.4		
MUNSON	6744VT3	PL YL RR	107	218	74	23.0	100	225	23	23.8	222	100	25.6	208	116	19.6		
POWER PLUS	X5R66	CL HX RL	111	218	75	25.3	100	212	74	26.5	227	62	27.8	215	80	21.6		
NUTECH	3T-413 VT3	CL YL RR	113	218	76	28.5	100	219	43	29.5	213	130	31.4	221	71	24.5		
MUNSON	7016VT3	PL YL RR	110	218	77	26.3	100	195	135	29.4	231	42	27.6	227	48	22.0		
WYFFELS	W7251	PL YL RR	112	217	78	28.7	99	206	104	29.3	215	125	30.1	231	34	26.6		
FS SEED	FS 60AV3	PL YL RR	110	217	79	26.9	100	203	112	27.9	229	51	30.1	220	73	22.9	229	22
HUBNER	H5430VT3	PL YL RR	109	217	80	26.1	97	222	34	27.0	223	91	28.3	207	117	23.1	228	27
MASTERS CHOICE	MC-800 EXP	PL AG	111	217	81	26.1	84	223	25	27.6	214	127	28.5	214	84	22.3		
KRUGER	K-6114VT3	CL YL RR	114	217	82	28.2	100	203	114	30.3	226	71	30.1	223	63	24.0	221	43
NUTECH	3T-706 VT3	PL YL RR	107	217	83	22.3	100	215	57	23.8	228	53	23.7	208	114	19.5		
BECK / XL	5354HXR™	PM HE RL	107	217	84	25.9	100	221	36	27.9	221	105	28.4	209	108	21.5		
DYNA-GRO	57V40	PL YL RR	111	217	85	27.5	100	218	47	29.1	222	99	30.2	210	104	23.2	226	33
PIONEER	32T85	PL HE RL	115	217	86	30.1	100	219	45	29.9	225	76	32.2	206	118	28.2	224	39
SELECT	7831	PL YL RR	110	216	87	26.4	99	209	86	28.6	226	70	27.9	214	85	22.5		
WABASH VALLEY	TL 3345VT3	PL YL RR	110	216	88	27.2	100	212	73	28.8	225	74	29.7	212	91	23.1	228	30
MWS	8237VT3	PL YL RR	110	216	89	28.3	99	217	52	29.2	223	88	30.7	208	111	24.9		
G2	5X-210 RR/HXT	CL HE RL	110	216	90	25.1	99	215	61	26.3	223	87	27.4	211	97	21.6		
WYFFELS	W6871	PL YL RR	110	216	91	26.6	97	214	63	28.3	221	109	28.5	213	88	23.1		
MUNSON	7405VT3	PL YL RR	114	216	92	28.1	99	211	76	29.7	224	79	29.9	212	90	24.8		
NUTECH	3T-512 VT3	PL YL RR	112	216	93	26.8	99	217	53	28.2	220	113	29.6	210	100	22.5		
G2	1X-716 HXT/LL	CL HE LL	116	216	94	29.9	99	208	91	30.5	230	47	32.1	209	107	27.1		
BECK	5444VT3	PM YL RR	109	216	95	26.9	98	203	117	27.8	229	50	30.4	214	83	22.7	228	26
TRISLER	T-7A14VT3	PL YL RR	111	216	96	25.9	100	202	118	28.0	222	96	27.1	222	64	22.5		
MWS	8063VT3	PL YL RR	112	215	97	26.9	98	217	54	29.3	221	102	28.4	208	115	23.0		
PIONEER	34P92	PL HE RL	111	215	98	26.2	96	211	80	27.7	225	78	29.3	211	98	21.5		
SELECT	7994	PL YL RR	109	215	99	26.0	94	208	93	26.7	218	118	28.9	219	75	22.4		
NUTECH	3C-413 RR/YGCB	CL YB RR	113	215	100	27.7	99	204	111	28.6	226	72	30.0	216	79	24.6		
MUNSON	23165VT3	PL YL RR	109	215	101	27.2	98	203	113	27.8	231	41	30.1	210	103	23.6	229	24
HOBLOIT	5557VT3	PL YL RR	111	214	102	28.3	99	195	136	30.7	224	80	30.3	223	57	24.0	225	35
NUTECH	3T-110 VT3	CL YL RR	110	214	103	26.9	99	217	51	29.0	221	111	29.4	203	126	22.2	229	20
HORIZON	72PV33R	PL YL RR	112	214	104	27.5	98	210	83	27.8	222	93	30.7	208	112	23.9	226	31
MASTERS CHOICE	MC-962 EXP	PL AL	109	213	105	28.8	96	207	96	29.2	222	97	30.7	212	93	26.6		
BO JAC	9444	PL AG GT	110	213	106	26.8	80	214	64	27.8	217	120	28.0	209	110	24.5		
FS SEED	FS 61BV3	PL YL RR	111	213	107	26.1	98	214	62	27.0	220	114	28.8	206	122	22.6		
BECK	5779VT3	PM YL RR	111	213	108	28.7	99	215	59	29.3	214	126	30.6	211	95	26.1	222	41
SELECT	5073VT	PL YL RR	112	213	109	28.5	99	201	123	28.7	221	107	31.1	217	78	25.7		
HORIZON	73PV36R	PL YL RR	113	213	110	29.6	100	210	85	31.0	219	117	31.4	210	102	26.4	217	45
PIONEER	35K04	PL HE RL	106	212	111	24.8	100	199	127	26.1	221	108	24.8	218	77	23.7	224	36
SELECT	308	PL YL RR	110	212	112	27.0	99	196	131	28.2	226	73	29.8	214	81	23.1	229	21
BURRUS	4J63	PL YL RR	108	211	113	28.3	97	209	89	30.3	226	69	30.0	199	131	24.7	229	23
NUTECH	3T-106 VT3	PL YL RR	106	211	114	23.6	99	203	115	23.7	221	103	25.8	209	109	21.4		
FS SEED	FS 58SV3	PL YL RR	108	211	115	24.4	99	205	105	24.8	221	106	26.7	206	120	21.5	223	40
BECK / XL	5676HXR™	PM HE RL	111	210	116	28.3	98	207	99	29.5	212	133	30.6	212	92	24.8		

2009 Hybrid Corn Test Results: East Central Region (34,000 ppa)

Company	Name	IST ¹ GT ² HT ³	Relative Maturity	Yield bu/a	Regional Results			Dwight			Goodfield			Urbana		2-yr Avg. bu/a	Rank	
					Rank	Moisture %	% Erect Plants	Yield bu/a	Rank	Moisture %	Yield bu/a	Rank	Moisture %	Yield bu/a	Rank			Moisture %
HOBLIT	5827VT3	PL YL RR	115	210	117	31.4	98	202	120	31.9	217	119	32.7	211	96	29.6	219	44
DYNA-GRO	57V38	PL YL RR	113	210	118	27.9	98	207	100	27.7	212	131	30.5	211	94	25.4		
POWER PLUS	X6H22	CL HE RL	113	210	119	27.1	100	208	95	28.5	214	128	29.5	208	113	23.4		
HORIZON	66PV41R	PL YL RR	106	210	120	23.0	99	201	125	23.1	228	57	25.1	200	129	20.8		
STONE	8T597VT3	PL YL RR	115	209	121	27.1	99	201	126	29.5	227	63	28.4	200	130	23.5		
NUTECH	3T-612 VT3	PL YL RR	112	209	122	26.7	100	203	116	27.8	222	95	28.2	202	128	24.1		
PIONEER	33F88	PL HE RL	114	209	123	28.9	93	196	132	30.4	227	65	30.4	203	125	25.9	228	28
STONE	7T765VT3	PL YL RR	112	209	124	28.3	99	205	109	29.5	216	121	31.4	205	123	24.0	224	38
G2	5X-711 RR/HXT	CL HE RL	111	208	125	25.2	99	192	138	26.8	228	60	27.6	205	124	21.1		
G2	5X-513 RR/HXT	CL HE RL	114	208	126	28.4	99	205	106	29.5	209	136	31.1	210	105	24.8		
BECK	5442VT3	PM YL RR	110	206	127	27.5	98	190	140	30.7	222	98	29.0	206	121	22.9	226	32
BURRUS	573T	PL YL RR	111	205	128	28.5	99	222	31	29.3	213	129	31.1	180	138	25.2	224	37
WHISNAND	312	PL RR	112	205	129	28.1	99	197	128	29.5	211	134	31.2	206	119	23.7		
G2	5X-915 RR/HXT	CL HE RL	115	204	130	30.3	87	201	122	30.2	199	140	32.4	213	87	28.3		
G2	5X-909 RR/HXT	CL HE RL	109	204	131	25.0	100	169	142	26.6	223	84	25.3	218	76	23.1		
BECK	5608VT3	PM YL RR	111	204	132	28.8	97	205	108	30.0	215	123	30.8	191	134	25.7	222	42
BECK / XL	5454HXR™	PM HE RL	110	204	133	27.8	100	206	102	28.9	207	137	31.5	198	132	23.1		
BECK / XL	6363HXR™	PM HE RL	113	203	134	29.1	99	211	78	30.1	206	138	30.8	191	133	26.3		
DYNA-GRO	57V70	PL YL RR	112	201	135	28.9	97	196	134	30.0	206	139	31.9	202	127	24.8	226	34
FS SEED	FS 65BV3	PL YL RR	115	200	136	31.1	99	193	137	31.5	224	83	31.9	184	135	29.9		
SELECT	7109GT	PL GT	110	200	137	25.6	98	197	129	26.5	220	115	28.1	182	137	22.2		
MUNSON	29205VT3	PL YL RR	115	198	138	31.3	64	218	50	30.1	234	31	33.1	141	142	30.6	216	46
PIONEER	35F44	PL HE RL	105	196	139	23.2	99	206	103	24.1	209	135	24.4	174	141	21.0		
HORIZON	69-62G	PL GT	109	194	140	25.2	99	179	141	25.9	219	116	27.8	183	136	21.9		
SELECT	5141HQ	PL HE RR	110	186	141	27.7	94	196	133	29.5	185	142	29.0	178	139	24.6	193	47
HUBNER	H5707VT3	PL YL RR	114	182	142	28.4	100	191	139	29.4	193	141	31.0	175	140	24.9		
Non-GMO Hybrids																		
HORIZON	69-03*	PL	109	223		24.4	98	201		24.4	243		26.2	224		22.6		
OMG	6L39		113	230		28.8	100	211		29.0	241		31.4	237		25.9		
OMG	6M29		111	189		27.9	99	188		29.8	209		29.1	158		24.9		
PREMIUM	P237		112	204		26.4	80	209		25.8	213		28.0	190		25.4		
SELECT	7919	PL	112	223		29.2	99	216		29.7	226		32.6	229		25.2		
SG	61C08	PL	110	198		25.4	100	186		25.9	216		27.0	194		23.4		
SG	61C18	PL	111	198		25.8	97	196		25.9	216		28.9	180		22.7		
WILKEN	W 884		108	182		25.5	82	193		25.9	198		27.5	156		23.2	205	
WILKEN	W 990		109	209		24.9	94	215		24.0	203		28.4	210		22.4	211	
WILKEN	WEX 495		108	227		24.8	99	202		26.4	244		25.9	234		22.0		
WILKEN	WEX 496		110	201		27.2	98	186		27.9	219		29.8	199		24.0		
	Average			218		27.0	97	212		28.2	225		29.1	218		23.7		
	CV (%)			10		1.1	4	13		1.1	9		0.9	9		1.2		
	L.S.D 25% Level			5		4.3	5	7		4.1	4		3.4	5		5.4		

¹Insecticide Seed Treatment: CL = Cruiser Extreme® 250, CH = Cruiser Extreme® 1250, PL = Poncho 250®, PM = Poncho 750®, PH = Poncho 1250®

²Genetic Traits: AB = Agrisure™ Corn Borer, AG = Agrisure 3000GT™, AL = Agrisure™ Corn Borer + Root Worm, Corn Borer, HX = Herculex® I Corn Borer, HR = Herculex® RW Root Worm, HE = Herculex® XTRA Corn Borer + Root Worm, YB = YieldGard® Corn Borer, YW = YieldGard® Root Worm, YL = YieldGard® Corn Borer + Root Worm

³Herbicide Traits: GT = Agrisure™ Glyphosate, GL = Agrisure™ Glyphosate + LibertyLink®, CL = Clearfield™, LL = LibertyLink®, RR = Roundup Ready® Corn 2, RL = LibertyLink® + Roundup Ready®

See the official University of Illinois, Department of Crop Sciences bulletin "CROP" Variety Test Results in Illinois 2009 for details. Endorsement or recommendation by the University of Illinois is not implied.