

Rank	Company	Name	IST ¹	GT ²	HT ³	Relative Maturity	Regional Results			Dwight		Goodfield		Urbana		2-yr Avg. bu/a	3-yr Avg. bu/a
							Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %		
1	KRUGER	K-6010VT3	L	CR2L	G	110	231	17.1	99	225	16.8	247	19.8	220	14.8	231	
2	DEKALB	DKC62-97 (GENVT3P)	M	C2R3	G	112	231	16.9	100	221	16.7	241	19.5	231	14.4		
3	CHANNEL	213-32VT3	L	C1R1	G	113	230	19.1	99	223	18.4	256	22.5	210	16.5		
4	STONE	6N52VT3	L	CLR	G	110	229	16.8	99	228	16.1	239	18.9	221	15.3	233	
5	KRUGER	K-6213VT3	L	CR2L	G	113	229	18.6	100	210	16.4	257	22.9	220	16.7	232	237
6	G2	1X-716 HXT/LL	L	CR	U	116	228	22.1	100	218	21.8	246	24.3	219	20.1	222	
7	CHANNEL	216-63VT3	L	C1R1	G	116	227	20.9	99	217	20.2	253	24.1	211	18.3		
8	FS SEED	FS 64JV3	L	CR	G	114	227	18.5	99	208	18.1	244	21.2	229	16.1		
9	LEWIS	910VT3	L	CR	G	110	226	15.9	97	214	14.1	249	20.0	216	13.8	228	
10	LEWIS	X113	L	CRL	G	113	226	19.5	90	222	17.9	246	23.0	211	17.5		
11	G2	5H-515 RR/HX	L	C	GU	115	226	19.5	99	203	18.8	246	22.2	230	17.4		
12	G2	5H-712 RR/HXT	L	CR	GU	112	226	18.6	97	198	17.1	253	21.6	227	17.0		
13	KRUGER	K-6408VT3	L	CR2L	G	108	226	14.5	99	224	12.5	246	18.1	207	13.1	226	
14	STONE	8T468VT3	L	CLR	G	113	225	18.6	98	209	17.8	238	22.0	229	16.2	233	
15	CHANNEL	211-99VT3P	L	C2R1	G	111	224	15.7	100	203	13.6	249	20.2	220	13.4		
16	STONE	6223VT3	L	CLR	G	112	224	18.3	99	222	17.1	243	22.6	206	15.2		
17	WYFFELS	W6871	L	CR	G	110	224	17.3	98	214	15.6	250	21.3	207	15.2	220	
18	BECK	6733HXR™*	M	CR	GU	114	223	20.6	99	210	20.0	241	23.2	219	18.7	225	
19	CHANNEL	209-77VT3	L	CR	G	109	223	16.1	100	216	14.0	235	20.1	218	14.2		
20	DEKALB	DKC63-84 (VT3)	M	C2R3	G	113	223	15.8	97	205	15.0	248	18.7	215	13.7	226	
22	DEKALB	DKC65-63 (VT3)	M	C2R3	G	115	222	19.4	99	201	17.7	237	22.7	228	17.9	224	
23	POWER PLUS	7U18	M	CRL	GU	114	222	19.6	99	217	19.6	235	22.2	214	17.1		
24	SUN PRIARIE	SP617VT3	L	CR	G	110	222	17.1	95	196	14.7	243	21.2	227	15.5		
25	DEKALB	DKC57-50 (VT3)	M	C2R3	G	107	222	14.8	100	219	13.6	239	18.2	207	12.7		
26	NUTECH	3T-914 VT3	L	CR	G	114	221	20.5	98	219	18.2	233	24.9	213	18.4		
27	POWER PLUS	7D51	M	CRL	GU	115	221	21.0	100	209	21.3	238	23.0	217	18.6	223	
28	NUTECH	3T-110 VT3	L	CR	G	110	221	16.6	99	218	15.1	237	20.9	208	14.0	217	227
29	HUBNER	H5909VT3P	L	CR	G	115	221	18.2	100	204	18.3	238	20.9	222	15.4		
30	DEKALB	DKC64-69 (GENVT3P)	M	C2R3	G	114	221	17.5	100	214	16.7	223	20.9	226	15.0		
31	NUTECH	3T-713 VT3	L	CR	G	113	220	18.5	98	213	18.6	220	21.3	228	15.5		
32	SELECT	7210RR	L		G	110	220	18.4	98	206	18.0	232	21.1	224	16.2		
33	KRUGER	K-6116VT3	L	CR2L	G	116	220	18.2	98	218	17.3	214	21.1	230	16.2	226	
34	HUBNER	H5555VT3	L	CR	G	111	220	18.2	99	219	17.3	235	22.0	206	15.3	227	
35	DEKALB	DKC58-83 (GENVT3P)	M	C2R3	G	108	220	15.2	100	204	13.9	230	18.2	227	13.4		
36	BECK	5442VT3	M	CR	G	110	220	17.2	98	213	16.1	235	21.0	211	14.6	213	224
37	STONE	681-76VT3	L	CLR	G	111	220	18.0	100	213	17.4	244	20.4	203	16.4		
38	KRUGER	K-1211RR	L		G	111	220	16.0	98	210	14.1	229	19.9	220	13.9		
39	G2	5X-515 RR/HXT	L	CR	GU	115	219	19.4	99	210	19.0	229	23.0	220	16.3		
40	POWER PLUS	X6Y10	M	CRL	GU	112	219	17.7	99	217	17.0	224	20.5	217	15.4		
41	DYNA-GRO	57V40	L	CR	G	111	219	16.8	98	226	15.1	228	21.2	205	14.1	218	224
42	SUN PRIARIE	SPX2710VT3P	L	CR	G	113	219	19.6	97	207	19.2	225	22.1	226	17.4		
43	STONE	7N88VT3	L	CLR	G	112	219	18.0	100	192	16.4	240	21.2	226	16.4		
44	CHANNEL	214-14VT3P	L	C2R1	G	114	219	18.6	100	205	17.2	234	21.6	218	16.9		
45	MUNSON	7499VT3P	L	CRL	G	114	219	18.8	97	213	17.8	237	21.8	206	16.9		
46	FS SEED	FS 61BX1	L	C2R2L2	GU	111	218	17.3	100	212	17.3	236	20.6	205	14.1		
47	MUNSON	7584VT3P	L	CRL	G	115	217	19.1	99	208	18.8	227	21.9	217	16.6		
48	MUNSON	7322VT3P	L	CRL	G	113	217	16.1	99	193	13.7	244	20.1	215	14.7		
49	HORIZON	72A06Q	L	CR	U	112	217	17.5	99	203	16.1	230	21.7	219	14.9	220	229
50	G2	5X-908 RR/HXT	L	CR	GU	108	217	18.2	99	199	17.4	230	21.2	223	16.0		
51	HORIZON	71PV08R	L	CR	G	111	217	17.8	98	210	16.7	226	21.3	215	15.3	219	
52	NUTECH	3U-113 VTRR	L	R	G	113	216	19.5	95	203	18.1	239	23.4	206	17.0		

2010 Hybrid Corn Test Results: East Central Region (34,000 ppa)
UNIVERSITY OF ILLINOIS

Rank	Company	Name	IST ¹	GT ²	HT ³	Relative Maturity	Regional Results			Dwight		Goodfield		Urbana		2-yr Avg. bu/a	3-yr Avg. bu/a
							Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %		
53	POWER PLUS	6B52	M	CL	GU	113	216	17.7	98	211	16.3	229	20.8	208	15.9		
54	LEWIS	1011VT3	L	CR	G	111	216	17.7	100	206	15.7	236	21.8	206	15.5		
55	DYNA-GRO	CX09512	L	CR	GU	112	216	17.3	100	209	16.7	219	20.5	219	14.8		
56	FS SEED	FS 62JV3	L	CR	G	112	216	18.2	99	198	17.0	234	21.7	215	16.1	217	224
57	SELECT	4822SM	L	CR	G	109	216	17.2	99	201	15.6	233	21.4	213	14.5	216	
58	WHISNAND	208 VT3	L	CR	G	112	215	17.0	97	203	15.8	239	21.1	203	14.0		
59	PIONEER	34R65	H		G	109	215	16.6	100	209	15.8	240	19.7	196	14.4		
60	DEKALB	DKC62-54 (VT3)	M	C2R3	G	112	215	16.2	99	197	14.6	234	19.2	213	14.7	225	
61	STONE	6413VT3	L	CLR	G	114	214	19.8	99	192	19.3	233	22.1	218	17.9		
62	DEKALB	DKC59-35 (VT3)	M	C2R3	G	109	214	16.5	99	197	14.6	233	19.3	211	15.5		
64	SUN PRIARIE	SPX2705VT3P	L	CR	G	111	213	16.3	97	192	13.4	233	20.4	215	15.0		
65	LEWIS	1107VT3	L	CR	G	107	213	14.4	100	188	12.8	243	17.5	208	12.9		
66	G2	5X-007B RR/HXT	L	CR	GU	107	213	15.4	99	200	15.0	232	17.5	207	13.8		
67	SUN PRIARIE	SP628VT3	L	CR	G	108	213	16.3	99	203	14.5	225	20.2	211	14.1		
68	HORIZON	73PR15R	L	CR	G	113	213	19.7	98	211	18.8	225	23.0	204	17.5		
69	SELECT	5233VP	L	CR	G	110	213	17.4	99	195	16.6	237	20.6	208	14.9		
70	CHANNEL	210-61VT3	L	C1R1	G	110	213	17.8	100	197	17.1	234	20.1	207	16.3		
71	WYFFELS	W7071	L	CR	G	111	212	16.9	100	193	15.5	240	19.5	204	15.7		
72	POWER PLUS	5G45	M	CRL	GU	110	212	18.4	98	199	18.8	228	20.5	209	15.8		
73	KRUGER	K-6411VT3	L	CR2L	G	111	212	15.9	99	209	14.0	228	19.6	199	14.2	220	229
74	FS SEED	FS 63MV4	L	CRL	G	113	212	19.1	99	187	18.7	233	21.0	216	17.7		
75	PIONEER	P1236XR	H	CR	GU	112	212	19.1	95	206	18.4	219	22.3	209	16.6		
76	HORIZON	70-32R	L		G	110	212	15.9	100	199	14.8	234	19.7	202	13.1		
77	SG	SXP109GT	L	CR	U	109	211	15.1	98	196	13.3	227	19.2	210	12.7		
78	PIONEER	P1184R	H		G	111	211	16.4	95	198	16.0	228	18.4	207	14.7		
79	G2	5H-909 RR/HX	L	C	GU	109	210	17.1	99	204	16.8	213	19.5	215	15.1		
80	PIONEER	P1395XR	H	CR	GU	113	210	17.8	100	195	17.0	219	19.4	217	16.9		
81	MUNSON	7081VT3P	L	CRL	G	110	210	15.9	94	185	14.7	243	19.4	201	13.7		
82	BECK	6179VT3	M	CR	G	112	209	17.2	99	192	16.4	231	20.0	204	15.2		
83	DYNA-GRO	57V59	L	CR	G	114	209	17.2	100	195	16.7	221	19.9	211	15.1		
84	KRUGER	K-7614VT3P	L	C2R2L	G	114	209	18.5	99	204	17.6	217	22.1	205	15.7		
85	NUTECH	5N-213+ GT/CB/LL/RW	L	CR	GU	113	208	18.2	100	185	18.9	236	20.6	205	15.2	215	
86	POWER PLUS	4E30	M	CRL	GU	108	208	17.2	100	194	15.9	217	19.9	213	15.6		
87	KRUGER	K-6214VT3	L	CR2L	G	114	208	16.6	99	170	15.1	245	20.1	210	14.7	214	
88	FS SEED	FS 60MV4	L	CRL	G	110	207	15.8	93	198	14.1	222	19.7	202	13.5		
89	HUBNER	H5505VT3P	L	CR	G	111	207	16.6	93	172	15.4	232	19.2	217	15.0		
90	STONE	5603VT3	L	CLR	G	106	207	14.6	99	196	13.5	228	17.9	197	12.3		
91	G2	5X-215 RR/HXT	L	CR	GU	115	206	19.7	99	198	19.0	213	24.0	207	16.0		
92	BECK	5716A3	M	CR	GU	111	206	17.8	99	186	17.2	217	20.6	214	15.6	216	
93	SG	SXP109GT3	L	CR	UG	109	206	16.5	99	212	16.0	199	19.3	206	14.4		
94	BO JAC	9459	L	CR	GU	110	205	16.3	97	210	15.5	192	19.0	212	14.4		
95	HORIZON	74PV37R	L	CR	G	114	204	16.8	100	186	16.7	228	19.5	197	14.1		
96	HORIZON	73PV36R	L	CR	G	113	203	17.1	96	176	14.5	221	20.9	213	15.7	208	212
97	G2	5X-007 RR/HXT	L	CR	GU	107	203	15.5	96	174	15.0	229	18.0	206	13.5		
98	WHISNAND	207 VT3	L	CR	G	113	203	16.1	99	192	14.0	207	20.1	210	14.2		
99	NUTECH	5N-215 GT/CB/LL/RW	L	CR	GU	115	203	19.7	99	205	19.7	194	22.2	210	17.2		
100	G2	5H-608 RR/HX	L	C	GU	108	202	16.0	99	194	15.3	219	18.8	192	13.8		
101	NUTECH	3T-810 VT3	L	CR	G	110	202	18.2	100	205	17.2	201	22.4	198	14.8		
102	G2	5X-909 RR/HXT	L	CR	GU	109	200	17.1	97	202	16.4	199	20.0	199	14.9	202	
103	PREMIUM	P248 RR			G	113	199	16.5	99	201	15.9	192	18.9	203	14.9		
104	NUTECH	5N-813 GT/CB/LL/RW	L	CR	GU	113	199	19.9	100	173	20.1	222	23.1	202	16.5		
105	BECK	5887HXR™*	M	CR	GU	112	199	18.4	97	195	18.2	203	20.3	198	16.8		

Rank	Company	Name	IST ¹	GT ²	HT ³	Relative Maturity	Regional Results			Dwight		Goodfield		Urbana		2-yr Avg. bu/a	3-yr Avg. bu/a
							Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %		
106	WHISNAND	206 VT3	L	CR	G	112	199	15.9	96	187	13.0	224	19.9	185	14.9		
107	HORIZON	66PV41R	L	CR	G	106	198	15.2	99	187	13.0	202	17.9	205	14.6	204	
108	HORIZON	69A62L	L	CR	U	109	197	16.7	99	201	16.3	197	19.7	194	14.2		
109	BECK	5454HXR™*	M	CR	GU	110	197	16.7	100	187	15.6	210	19.8	193	14.7	200	
110	HORIZON	71PR29R	L	CR	G	111	195	15.5	95	180	14.3	215	18.4	191	13.8		
111	MASTERS CHOICE	MCT-755G 3000GT	L	CR	G	110	195	16.6	99	198	16.8	196	18.8	192	14.2		
112	SG	SXP111	L	CR	UG	111	193	17.8	97	168	17.5	211	19.8	201	16.2		
113	WYFFELS	W5568	L	C2R2	GU	108	192	15.8	99	182	15.7	198	18.0	196	13.8		
114	STONE	5908GSS	L	C2R2L	GU	109	191	17.1	100	169	17.2	212	19.8	192	14.3		
115	FS SEED	E5003	L	C3R3	GU	108	190	15.9	99	172	15.5	200	18.2	199	14.1		
116	HORIZON	74A88Q	L	CR	U	114	190	19.0	99	185	18.5	175	21.5	209	17.2		
117	HUBNER	H6330GENSS	L	CR	G	108	189	16.7	100	167	16.5	216	18.9	183	14.9		
118	HORIZON	69S31Z	L	C2R2	GU	109	179	15.6	99	145	14.2	200	19.0	191	13.7		
Non-GMO Hybrids																	
63	HORIZON	69-03*	L			109	214	15.9	99	208	15.3	224	18.1	210	14.3	218	
21	OMG	OMG 6L39				113	223	21.1	98	200	21.5	246	23.5	224	18.2	227	
		Average					213	17.5	98	200	16.5	228	20.6	210	15.3	220	226
		L.S.D 25% Level					10	0.8	2	16	0.9	12	1.0	9	0.8		
		CV (%)					9	8.1	5	8	5.8	6	5.2	4	5.3		

¹Insecticide Seed Treatment: L = Low rate, M = Medium rate, H = High rate

²Genetic Traits: C= Corn Borer, R= Root Worm, L= Lepidoptera, Number following the letter indicates how many traits are expressed

³Herbicide Traits: G= Glyphosate, U= Glufosinate