

**2010 Hybrid Corn Test Results: North Region (34,000 ppa)**  
UNIVERSITY OF ILLINOIS

Rank	Company	Name	IST <sup>1</sup>	GT <sup>2</sup>	HT <sup>3</sup>	Relative Maturity	Regional Results			Mt. Morris		DeKalb		Erie		2-yr Avg. bu/a	3-yr Avg. bu/a
							Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %		
1	G2	5H-712 RR/HXT	L	CR	GU	112	239	19.5	93	265	22.3	205	19.2	246	17.0		
2	DEKALB	DKC62-97 (GENVT3P)	M	C2R3	G	112	238	20.0	98	250	23.4	208	19.3	257	17.2		
3	CHANNEL	209-77VT3	L	CR	G	109	237	18.7	97	249	20.7	208	18.2	254	17.3	238	
4	DEKALB	DKC63-84 (VT3)	M	C2R3	G	113	233	19.4	89	244	21.9	216	19.1	240	17.2	234	
5	MUNSON	7322VT3P	L	CRL	G	113	230	19.3	94	239	22.4	205	18.1	246	17.4		
6	HUGHES	7383 3000GT	L	CR	GU	111	230	20.7	97	240	22.8	206	20.5	245	18.6	223	225
7	BECK	5269HXR™*	M	CR	GU	106	229	19.5	95	248	21.2	202	19.8	235	17.5		
8	G2	5X-411 RR/HXT	L	CR	GU	111	228	20.5	94	237	22.1	210	20.9	237	18.6		
9	DEKALB	DKC61-69 (VT3)	M	C2R3	G	111	228	17.4	87	233	19.1	201	17.6	250	15.5	228	234
10	DEKALB	DKC63-42 (VT3)	M	C2R3	G	113	228	21.8	93	236	24.7	202	21.4	246	19.1	231	235
11	STONE	6N52VT3	L	CLR	G	110	228	18.7	95	232	21.6	210	18.6	241	16.0	237	
12	G2	5H-509 RR/HX	L	C	GU	109	227	19.0	99	235	21.3	219	19.1	227	16.7		
13	G2	5H-812 RR/HX	L	C	GU	112	227	20.2	96	235	21.7	192	20.1	254	18.6		
14	DEKALB	DKC57-50 (VT3)	M	C2R3	G	107	226	17.8	95	231	20.2	211	18.1	235	15.1	227	
15	DEKALB	DKC62-54 (VT3)	M	C2R3	G	112	226	18.6	92	245	21.4	188	18.4	244	16.0	233	
16	KRUGER	K-6010VT3	L	CR2L	G	110	225	19.5	97	237	22.2	198	18.7	241	17.7	232	
17	G2	5H-511 RR/HX	L	C	GU	111	225	19.9	99	226	21.3	193	19.1	257	19.4		
18	KRUGER	K-1211RR	L		G	111	225	19.0	93	239	21.0	201	18.9	235	17.2		
19	DEKALB	DKC58-83 (GENVT3P)	M	C2R3	G	108	225	17.4	97	230	20.1	200	16.6	244	15.5		
20	G2	5H-909 RR/HX	L	C	GU	109	224	19.0	99	232	20.5	192	18.3	249	18.2		
21	G2	5H-007 RR/HX	L	C	GU	107	224	17.8	97	237	19.6	208	17.9	227	16.1		
22	G2	5H-608 RR/HX	L	C	GU	108	223	18.7	99	237	20.6	192	18.8	239	16.7		
23	DYNA-GRO	V4993VT3	L	CR	G	109	223	18.0	96	233	19.7	195	18.0	239	16.3	228	
24	NUTECH	3T-708 VT3	L	CR	G	108	222	17.9	95	232	20.1	198	18.6	237	14.9		
25	CORNELIUS	C462-3000GT	L	CR	G	105	222	17.0	94	232	18.8	200	16.7	235	15.4		
26	NUTECH	3T-110 VT3	L	CR	G	110	222	20.0	68	244	22.7	214	19.6	208	17.8	227	231
27	NUTECH	5N-213+ GT/CB/LL/RW	L	CR	GU	113	222	21.3	93	223	24.2	195	20.8	246	18.9	219	
28	KRUGER	K-6213VT3	L	CR2L	G	113	221	21.0	96	241	23.2	189	20.8	234	18.9	227	231
29	HUGHES	4592 VT3	L	CR	G	105	220	15.9	94	227	18.4	199	15.1	234	14.2	227	228
30	NUTECH	1N-109 CB/LL/RW	L	CR	U	109	220	20.0	92	228	23.3	201	19.6	230	17.1		
31	PIONEER	P0916XR	H	CR	GU	109	220	19.2	98	233	20.9	195	19.9	231	16.8		
32	STONE	5603VT3	L	CLR	G	106	220	17.4	97	223	19.8	205	17.9	231	14.3		
33	NUTECH	5N-804 GT/CB/LL/RW	L	CR	GU	104	219	17.0	97	212	18.4	208	17.4	238	15.3		
34	MUNSON	7081VT3P	L	CRL	G	110	219	18.9	81	234	22.3	208	17.6	215	16.8		
35	HUGHES	4125 3000GT	L	CR	GU	105	219	17.0	93	233	19.2	192	16.1	232	15.8		
36	G2	3A-511 RR	L		G	111	219	19.9	93	228	21.8	187	19.2	242	18.8		
37	HUGHES	5124GT	L		G	107	219	17.8	97	223	19.7	205	17.6	229	16.1		
38	MUNSON	66513000GT	L	CR	GU	106	219	17.2	99	234	18.9	196	17.5	227	15.1		
39	DEKALB	DKC59-35 (VT3)	M	C2R3	G	109	219	19.9	99	230	22.3	189	20.5	238	17.0		
40	HUGHES	6345	L	CR	U	108	218	18.4	91	231	19.8	205	18.8	217	16.6		
41	KRUGER	K-6411VT3	L	CR2L	G	111	218	18.5	90	220	21.3	205	18.6	228	15.7	228	230
42	BECK	5377HR™*	M	C	GU	106	217	18.5	99	227	20.2	186	19.1	239	16.3		
43	CORNELIUS	C664-3000GT	L	CR	G	111	217	21.8	96	219	25.5	189	21.0	243	18.8	216	
44	SG	SXP111	L	CR	UG	111	217	20.3	95	219	22.8	205	19.2	227	19.0		
45	G2	5X-909 RR/HXT	L	CR	GU	109	217	19.1	99	227	20.6	175	19.4	249	17.2	218	
46	G2	5X-908 RR/HXT	L	CR	GU	108	217	19.8	91	221	21.2	208	19.4	222	19.0		

**2010 Hybrid Corn Test Results: North Region (34,000 ppa)**  
UNIVERSITY OF ILLINOIS

Rank	Company	Name	IST <sup>1</sup>	GT <sup>2</sup>	HT <sup>3</sup>	Relative Maturity	Regional Results			Mt. Morris		DeKalb		Erie		2-yr Avg. bu/a	3-yr Avg. bu/a
							Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %		
47	NUTECH	5N-705 GT/CB/LL/RW	L	CR	GU	105	216	16.9	98	227	18.8	203	16.5	218	15.3		
48	CORNELIUS	C531-3000GT	L	CR	G	108	216	18.3	91	230	20.0	198	18.5	219	16.6		
49	NUTECH	3T-808 VT3	L	CR	G	108	216	17.3	80	225	20.4	195	16.4	227	15.0		
50	CORNELIUS	C447VT3	L	CR	G	104	215	16.4	89	222	19.7	199	15.0	225	14.6	223	226
51	KRUGER	K-6408VT3	L	CR2L	G	108	215	17.2	95	215	19.4	198	17.1	232	15.2	223	
52	POWER PLUS	3C98	M		G	106	215	17.0	98	215	18.3	190	16.4	239	16.3	222	
53	STONE	5508GSS	L	C2R2L	GU	105	214	17.1	97	218	19.8	188	17.0	237	14.4		
54	RENK	RK698VT3	L	CR	G	103	214	16.3	99	225	18.3	197	16.2	221	14.4	226	
55	RENK	RK848VT3P	L	C2R	G	112	214	19.4	88	231	22.4	184	20.0	228	15.9		
56	RENK	RK744VT3	L	CR	G	107	214	16.0	89	226	18.3	203	15.5	214	14.3	222	
57	YIELDirect	4X106-GT	L		G	106	214	18.4	91	231	20.2	183	18.3	227	16.6		
58	SG	SXP109GT3	L	CR	UG	109	213	19.8	94	219	21.4	190	19.9	230	18.0		
59	PIONEER	35K04	H	CR	GU	106	213	17.7	92	221	19.1	192	18.0	224	16.0	220	224
60	CORNELIUS	C649VT3	L	CR	G	111	212	19.4	88	212	23.3	187	17.8	237	17.2	219	221
61	NUTECH	3U-113 VTRR	L	R	G	113	212	22.0	65	239	23.9	190	23.4	207	18.8		
62	FS SEED	FS 54SX1	L	C2R2L2	GU	104	212	16.3	89	221	18.0	197	16.3	218	14.5		
63	RENK	RK880VT3P	L	C2R	G	112	212	19.2	69	218	20.7	209	19.6	208	17.4		
64	NUTECH	3T-810 VT3	L	CR	G	110	211	22.5	93	216	24.9	195	22.7	222	19.9		
65	MUNSON	6744VT3	L	CR	G	107	211	16.6	95	213	18.9	194	17.0	225	13.8		
66	RENK	RK844VT3	L	CR	G	112	210	17.7	92	223	20.3	199	17.7	209	15.1	215	218
67	RENK	RK829VT3	L	CR	G	112	210	18.8	83	216	21.6	196	17.3	219	17.4	217	222
68	STEYER	1074 HXTRR	L	CR	GU	106	210	18.4	94	217	20.5	195	18.2	217	16.5		
69	FS SEED	FS 60MV4	L	CRL	G	110	210	19.8	80	234	21.9	192	20.3	203	17.1		
70	MASTERS CHOICE	MCT-583 3000GT	L	CR	G	111	208	20.1	92	214	21.5	193	19.1	218	19.5		
71	FS SEED	FS 56SV3	L	CR	G	106	208	17.4	94	211	19.8	196	18.2	218	14.4	220	
72	STEYER	10701VT3	L	CR	G	107	208	15.8	94	215	18.4	189	15.1	219	13.7		
73	RENK	RK694GTCBLLRW	L	CR	GU	105	208	17.5	98	214	19.4	189	17.0	221	16.2		
74	PIONEER	35F44	H	CR	GU	105	207	17.7	98	215	19.5	194	17.5	212	16.2	215	
75	BO JAC	9294	L	CR	U	106	207	18.3	92	220	20.2	186	18.9	214	15.9	212	
76	BECK	4817HXR™*	M	CR	GU	104	207	17.5	97	211	19.2	193	17.1	217	16.2		
77	POWER PLUS	4E30	M	CRL	GU	108	207	19.7	99	217	21.1	161	20.5	242	17.6		
78	NUTECH	3T-603 VT3	L	CR	G	103	206	17.2	95	212	19.8	188	18.1	220	13.8		
79	FS SEED	FS 57SV3	L	CR	G	107	206	16.5	65	212	18.3	204	15.7	203	15.7		
80	G2	5X-007B RR/HXT	L	CR	GU	107	206	17.3	95	223	18.0	187	18.2	208	15.5		
81	YIELDirect	4M59-VT3	L	RC	G	106	206	17.5	86	219	19.2	180	18.2	219	15.0	214	
82	STONE	5908GSS	L	C2R2L	GU	109	205	18.7	95	217	21.3	168	19.4	232	15.3		
83	KRUGER	K-6201VT3	L	CR2L	G	101	205	16.1	83	213	18.2	190	15.5	212	14.6		
84	CHANNEL	209-19VT3	L	CR	G	109	205	18.2	79	184	21.2	204	18.1	227	15.2		
85	NUTECH	5N-803 GT/CB/LL/RW	L	CR	GU	103	205	17.0	66	217	19.2	193	16.3	204	15.4		
86	FS SEED	E5003	L	C3R3	GU	108	203	17.9	92	216	19.9	172	18.8	223	15.0		
87	HUGHES	5594 3000GT	L	CR	GU	107	203	18.0	76	218	21.0	198	16.2	195	16.8	217	
88	KRUGER	K-7302VT3P	L	C2R2L	G	102	203	16.5	97	215	18.1	179	16.0	217	15.6		
89	NUTECH	5N-102 GT/CB/LL/RW	L	CR	GU	102	203	15.7	86	202	17.5	190	15.3	217	14.4		
90	YIELDirect	6M15-VT3	L	RC	G	111	203	18.8	77	193	21.3	184	18.6	231	16.5	209	217
91	STEYER	10302 3000GT	L	CR	GU	103	202	17.3	97	188	20.2	190	16.0	227	15.7		
92	G2	5X-007 RR/HXT	L	CR	GU	107	202	17.3	98	209	19.0	184	17.3	213	15.7		

**2010 Hybrid Corn Test Results: North Region (34,000 ppa)**  
UNIVERSITY OF ILLINOIS

Rank	Company	Name	IST <sup>1</sup>	GT <sup>2</sup>	HT <sup>3</sup>	Relative Maturity	Regional Results			Mt. Morris		DeKalb		Erie		2-yr Avg. bu/a	3-yr Avg. bu/a
							Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %		
93	CORNELIUS	C624VT3	L	CR	G	109	201	17.2	100	199	19.7	194	16.7	211	15.4		
94	KRUGER	K-6006VT3	L	CR2L	G	106	201	17.6	78	211	20.6	185	17.3	206	15.0	210	215
95	RENK	RK764SSTX	L	C3R2	GU	108	200	18.3	96	201	21.2	181	18.8	217	15.0		
96	POWER PLUS	2F16	M	CRL	GU	104	200	17.8	96	202	19.5	182	18.2	215	15.7		
97	YIELDirect	4M57-VT3	L	RC	G	104	196	17.1	97	221	19.1	172	17.1	195	15.1	214	
98	CORNELIUS	C536SS	L	CR	GU	108	195	18.3	97	189	20.5	179	19.1	216	15.4		
99	STEYER	1080255	L	C2R2	GU	108	186	18.7	89	177	22.0	160	18.8	222	15.3		
<b>Non-GMO Hybrids</b>																	
	OMG	OMG 4L15				106	209	18.5	89	202	20.8	193	17.9	233	16.7	220	223
	OMG	OMG 4L42				107	210	19.9	95	218	22.1	188	19.4	224	18.1		
	OMG	OMG 4L92				107	222	17.5	88	233	19.4	197	16.9	237	16.2	227	229
	OMG	OMG 4M62				105	213	17.5	86	221	20.1	187	17.2	231	15.3	217	220
	OMG	OMG 4X107				102	195	17.8	78	196	20.0	191	16.8	197	16.6		
	OMG	OMG 5X111				111	195	20.0	91	186	21.8	171	20.1	229	18.0		
	OMG	OMG 6E11				109	211	19.0	88	214	20.3	187	19.4	232	17.4	223	
	OMG	OMG 6L39				113	216	22.3	92	232	23.9	180	23.1	237	20.1	220	224
	PRAIRIE	2730				102	195	16.9	84	183	19.7	190	16.5	212	14.5	201	
	PRAIRIE	3074				104	200	17.5	94	206	21.5	190	16.3	204	14.7	207	213
	PRAIRIE	4368				106	206	17.6	88	206	19.7	192	16.7	221	16.3	213	
	PRAIRIE	5879				107	215	17.5	85	220	18.9	198	17.1	228	16.5	222	
	PRAIRIE	6158				111	215	21.5	98	229	23.2	196	21.1	220	20.2	215	214
		<b>Average</b>					<b>213</b>	<b>18.2</b>	<b>91</b>	221	20.4	194	18.0	225	16.3	221	224
		<b>L.S.D 25% Level</b>					<b>10</b>	<b>0.7</b>	<b>9</b>	13	0.8	11	0.8	11	0.7		
		<b>CV (%)</b>					<b>9</b>	<b>7.5</b>	<b>18</b>	6	4.3	6	5.0	5	4.8		